Author Index Vol. 776

Amiel, C., see Sandier, A. 776(1997)93
Annen, M.J., see Griffith, C.M. 776(1997)179
Appelqvist, L.-Å., see Kamal-Eldin, A. 776(1997)245
Basiuk, V.A. and Navarro-González, R.
Identification of hexahydroimidazo[1,2-*a*]pyrazine-3,6-diones and hexahydroimidazo[1,2-*a*]imidazo[1,2-*d*]pyrazine-3,8-diones, unusual products of silica-catalyzed amino acid thermal condensation and products of their thermal decomposition using coupled high-performance liquid chromatography–particle beam mass spectrometry and gas chromatography–Fourier transform infrared spectroscopy–mass spectrometry 776(1997)255
Beijnen, J.H., see Hoitink, M.A. 776(1997)319
Bernillon, J., see Vessillier, S. 776(1997)133
Bult, A., see Hoitink, M.A. 776(1997)319
Burgess, A.W., see Catimel, B. 776(1997)15
Buxaderas, S., see Gallart, M. 776(1997)283
Catimel, B., Nerrie, M., Lee, F.T., Scott, A.M., Ritter, G., Welt, S., Old, L.J., Burgess, A.W. and Nice, E.C.
Kinetic analysis of the interaction between the monoclonal antibody A33 and its colonic epithelial antigen by the use of an optical biosensor. A comparison of immobilisation strategies 776(1997)15
Chang, C.-C., see Lin, C.-E. 776(1997)362
Chase, H.A., see Nash, D.C. 776(1997)55
Chase, H.A., see Nash, D.C. 776(1997)65
Chen, Y.-C., see Lin, C.-E. 776(1997)362
Cserháti, T. and Forgács, E.
Study of the binding of antibiotics to human serum albumin by charge-transfer chromatography 776(1997)31
Cserháti, T., see Nèmeth-Kiss, V. 776(1997)147
Dahlmann, U.H., see Kautz, C.B. 776(1997)305
De Zeeuw, R.A., see Viel, G.T. 776(1997)101
Dobarganes, C., see Kamal-Eldin, A. 776(1997)245
Dott, W., see Hollender, J. 776(1997)233
Eisert, R. and Pawliszyn, J.
Design of automated solid-phase microextraction for trace analysis of organic compounds in aqueous samples 776(1997)293
Endres, W., see Sass, J.O. 776(1997)342
Ensing, K., see Viel, G.T. 776(1997)101
Fedoroff, M., see Sandier, A. 776(1997)93
Fischer, S., see He, C. 776(1997)109
Flickinger, M.C., see Griffith, C.M. 776(1997)179
Font, G., see Ruiz, M.J. 776(1997)348
Forgács, E., see Cserháti, T. 776(1997)31
Forgács, E., see Nèmeth-Kiss, V. 776(1997)147
Forssmann, W.-G., see Heine, G. 776(1997)117
Forssmann, W.-G., see Schrader, M. 776(1997)139
Forssmann, W.-G., see Schulz-Knappe, P. 776(1997)125
Fox, A., see Wunschel, D.S. 776(1997)205
Fox, K.F., see Wunschel, D.S. 776(1997)205
Francioli, S., see Gallart, M. 776(1997)283
Gallart, M., Francioli, S., Viu-Marco, A., López-Tamames, E. and Buxaderas, S.
Determination of free fatty acids and their ethyl esters in musts and wines 776(1997)283
Götz, G.K.E., see Hollender, J. 776(1997)233
Griffith, C.M., Morris, J., Robichaud, M., Annen, M.J., McCormick, A.V. and Flickinger, M.C.
Fluidization characteristics of and protein adsorption on fluoride-modified porous zirconium oxide particles 776(1997)179
Gustavsson, P.-E., Mosbach, K., Nilsson, K. and Larsson, P.-O.
Superporous agarose as an affinity chromatography support 776(1997)197
Hagemann, H.W., see Hollender, J. 776(1997)233
He, C., Fischer, S., Meyer, G., Müller, I. and Jüngst, D.
Two-dimensional electrophoretic analysis of vesicular and micellar proteins of gallbladder bile 776(1997)109
Heeter, G.A. and Liapis, A.I.
Model discrimination and estimation of the intraparticle mass transfer parameters for the adsorption of bovine serum albumin onto porous adsorbent particles by the use of experimental frontal analysis data 776(1997)3
Heine, G., Raida, M. and Forssmann, W.-G.
Mapping of peptides and protein fragments in human urine using liquid chromatography–mass spectrometry 776(1997)117
Heinzel, M., see Hollender, J. 776(1997)233
Hess, R., see Schrader, M. 776(1997)139
Hess, R., see Schulz-Knappe, P. 776(1997)125
Hetper, J. and Sobera, M.
High-resolution pyrolysis–gas chromatography with a movable reaction zone 776(1997)337
Hodges, R.S., see Sereda, T.J. 776(1997)153
Hoitink, M.A., Hop, E., Beijnen, J.H., Bult, A., Kettenes-van den Bosch, J.J. and Underberg, W.J.M.
Capillary zone electrophoresis–mass spectrometry as a tool in the stability research of the luteinising hormone-releasing hormone analogue goserelin 776(1997)319
Hollender, J., Shneine, J., Dott, W., Heinzel, M., Hagemann, H.W. and Götz, G.K.E.
Extraction of polycyclic aromatic hydrocarbons from polluted soils with binary and ternary supercritical phases 776(1997)233
Hop, E., see Hoitink, M.A. 776(1997)319
Hoshino, H., see Krokhin, O.V. 776(1997)329
Ingelse, B.A., see Reijenga, J.C. 776(1997)361
Irth, H., see Lutz, E.S.M. 776(1997)169
Ivanov, A.E., Zhigis, L.S., Kurganova, E.V. and Zubov, V.P.
Effect of temperature upon the chromatography of proteins on porous glass, chemically coated with N-isopropylacrylamide copolymer 776(1997)75
Jezorek, J.R. and Wagner, K.A.
Simultaneous separation of metal ions and neutral organics by reversed-phase ion-pair liquid chromatography 776(1997)221
Jüngst, D., see He, C. 776(1997)109
Jürgens, M., see Schrader, M. 776(1997)139

Jürgens, M., see Schulz-Knappe, P. 776(1997)125
Kalantzopoulos, A., see Zahariou-Rakanta, H. 776(1997)275
Kamal-Eldin, A., Marquez-Ruiz, G., Dobarganes, C. and Appelqvist, L.-Å.
Characterisation of aldehydic acids in used and unused frying oils 776(1997)245
Kautz, C.B., Dahlmann, U.H. and Schneider, G.M.
Capacity ratios in supercritical fluid chromatography. Effect of mobile and stationary phases on hexasubstituted benzenes 776(1997)305
Kettenes-van den Bosch, J.J., see Hoitink, M.A. 776(1997)319
Kim, K., see Wunschel, D.S. 776(1997)205
Krokhin, O.V., Hoshino, H., Shpigun, O.A. and Yotsuyanagi, T.
Use of cationic polymers for the simultaneous determination of inorganic anions and metal-4-(2-pyridylazo)resorcinolato chelates in kinetic differentiation-mode capillary electrophoresis 776(1997)329
Kurganova, E.V., see Ivanov, A.E. 776(1997)75
Lagerquist, C., see Lu, L. 776(1997)81
Larsson, P.-O., see Gustavsson, P.-E. 776(1997)197
Lee, F.T., see Catimel, B. 776(1997)15
Liapis, A.I., see Heeter, G.A. 776(1997)3
Lin, C.-E., Wang, D.-Z., Chen, Y.-C. and Chang, C.-C.
Reply to "Capillary zone electrophoretic separation of β-blockers using citrate buffer at low pH" 776(1997)362
López-Tamames, E., see Gallart, M. 776(1997)283
Lu, L., Lundqvist, A., Zeng, C.-M., Lagerquist, C. and Lundahl, P.
D-Glucose, forskolin and cytochalasin B affinities for the glucose transporter Glut1. Study of pH and reconstitution effects by biomembrane affinity chromatography 776(1997)81
Lundahl, P., see Lu, L. 776(1997)81
Lundahl, P., see Lundqvist, A. 776(1997)87
Lundahl, P., see Viel, G.T. 776(1997)101
Lundqvist, A., see Lu, L. 776(1997)81
Lundqvist, A. and Lundahl, P.
Glucose affinity for the glucose transporter Glut1 in native or reconstituted lipid bilayers. Temperature-dependence study by biomembrane affinity chromatography 776(1997)87
Lutz, E.S.M., Irth, H., Tjaden, U.R. and van der Greef, J.
Implementation of affinity solid-phases in continuous-flow biochemical detection 776(1997)169
Maleš, Ž., see Medić-Šarić, M. 776(1997)355
Mangin, C., see Millot, M.C. 776(1997)37
Mant, C.T., see Sereda, T.J. 776(1997)153
Marquez-Ruiz, G., see Kamal-Eldin, A. 776(1997)245
McCormick, A.V., see Griffith, C.M. 776(1997)179
Medić-Šarić, M., Stanić, G., Maleš, Ž. and Šarić, S.
Application of numerical methods to thin-layer chromatographic investigation of the main components of chamomile (*Chamomilla recutita* (L.) Rauschert) essential oil 776(1997)355
Meyer, G., see He, C. 776(1997)109
Millot, M.C., Sébille, B. and Mangin, C.
Enantiomeric properties of human albumin immobilized on porous silica supports coated with polymethacryloyl chloride 776(1997)37
Millot, M.-C., see Taleb, N.L. 776(1997)45
Morris, J., see Griffith, C.M. 776(1997)179
Mosbach, K., see Gustavsson, P.-E. 776(1997)197
Müller, I., see He, C. 776(1997)109
Nagpal, M.L., see Wunschel, D.S. 776(1997)205
Nash, D.C. and Chase, H.A.
Modification of polystyrenic matrices for the purification of proteins. II. Effect of the degree of glutaraldehyde–poly(vinyl alcohol) crosslinking on various dye ligand chromatography systems 776(1997)55
Nash, D.C. and Chase, H.A.
Modification of polystyrenic matrices for the purification of proteins. III. Effects of poly(vinyl alcohol) modification on the characteristics of protein adsorption on conventional and perfusion polystyrenic matrices 776(1997)65
Navarro-González, R., see Basiuk, V.A. 776(1997)255
Nèmeth-Kiss, V., Forgács, E. and Cserháti, T.
Anomalous retention behaviour of peptides on porous graphitized carbon column 776(1997)147
Nerrie, M., see Catimel, B. 776(1997)15
Nice, E.C., see Catimel, B. 776(1997)15
Nilsson, K., see Gustavsson, P.-E. 776(1997)197
Old, L.J., see Catimel, B. 776(1997)15
Pawliszyn, J., see Eisert, R. 776(1997)293
Raida, M., see Heine, G. 776(1997)117
Raida, M., see Schrader, M. 776(1997)139
Redondo, M.J., see Ruiz, M.J. 776(1997)348
Reijenga, J.C. and Ingelse, B.A.
Capillary zone electrophoretic separation of β-blockers using citrate buffer at low pH 776(1997)361
Richter, R., see Schulz-Knappe, P. 776(1997)125
Ritter, G., see Catimel, B. 776(1997)15
Robichaud, M., see Griffith, C.M. 776(1997)179
Roubani-Kalantzopoulou, F., see Zahariou-Rakanta, H. 776(1997)275
Rouchaud, J.-C., see Sandier, A. 776(1997)93
Ruiz, M.J., Redondo, M.J. and Font, G.
Solid-phase extraction disks for determining pesticides from soil leachates 776(1997)348
Sandier, A., Amiel, C., Sébille, B., Rouchaud, J.-C., Fedoroff, M. and Soltes, L.
Chromatographic method involving inductively coupled plasma atomic emission spectrometric detection for the study of metal–protein complexes 776(1997)93
Šarić, S., see Medić-Šarić, M. 776(1997)355
Sass, J.O. and Endres, W.
Quantitation of total homocysteine in human plasma by derivatization to its N(O,S)-propoxycarbonyl propyl ester and gas chromatography–mass spectrometry analysis 776(1997)342
Saulnier, J., see Vessillier, S. 776(1997)133
Schneider, G.M., see Kautz, C.B. 776(1997)305
Schrader, M., Jürgens, M., Hess, R., Schulz-Knappe, P., Raida, M. and Forssmann, W.-G.
Matrix-assisted laser desorption/ionisation mass spectrometry guided purification of human guanylin from blood ultrafiltrate 776(1997)139
Schrader, M., see Schulz-Knappe, P. 776(1997)125
Schulz-Knappe, P., Schrader, M., Ständker, L., Richter, R., Hess, R., Jürgens, M. and Forssmann, W.-G.
Peptide bank generated by large-scale preparation of circulating human peptides 776(1997)125
Schulz-Knappe, P., see Schrader, M. 776(1997)139
Scott, A.M., see Catimel, B. 776(1997)15
Sébille, B., see Millot, M.C. 776(1997)37

Sébille, B., see Sandier, A. 776(1997)93
Sebille, B., see Taleb, N.L. 776(1997)45
Sereda, T.J., Mant, C.T. and Hodges, R.S.
Use of sodium perchlorate at low pH for peptide separations by reversed-phase liquid chromatography. Influence of perchlorate ion on apparent hydrophilicity of positively charged amino acid side-chains 776(1997)153
Shahgholi, M., see Wunschel, D.S. 776(1997)205
Shneine, J., see Hollender, J. 776(1997)233
Shpigun, O.A., see Krokhin, O.V. 776(1997)329
Sobera, M., see Hetper, J. 776(1997)337
Soltes, L., see Sandier, A. 776(1997)93
Ständker, L., see Schulz-Knappe, P. 776(1997)125
Stanić, G., see Medić-Šarić, M. 776(1997)355
Ståhlberg, J., see Stålberg, O. 776(1997)311
Stålberg, O. and Ståhlberg, J.
Theoretical aspects on the regulation of electroosmotic flow in capillary electrophoresis by adding charged amphiphiles 776(1997)311
Stewart, G.C., see Wunschel, D.S. 776(1997)205
Taleb, N.L., Millot, M.-C. and Sebille, B.
Enantioselectivity properties of human serum albumin immobilized on anion-exchangers based on polyvinylimidazole-coated silica. Effect of protein loading on separation properties 776(1997)45
Tjaden, U.R., see Lutz, E.S.M. 776(1997)169
Underberg, W.J.M., see Hoitink, M.A. 776(1997)319
Van der Greef, J., see Lutz, E.S.M. 776(1997)169
Vessillier, S., Bernillon, J., Saulnier, J. and Wallach, J.
Capillary electrophoresis in the assay of the hydrolysis of glycine-containing peptides by a protease from *Pseudomonas aeruginosa* 776(1997)133
Viel, G.T., Yang, Q., Lundahl, P., Ensing, K. and de Zeeuw, R.A.
Size-exclusion chromatographic reconstitution of the bovine brain benzodiazepine receptor. Effects of lipid environment on the binding characteristics 776(1997)101
Viu-Marco, A., see Gallart, M. 776(1997)283
Wagner, K.A., see Jezorek, J.R. 776(1997)221
Wallach, J., see Vessillier, S. 776(1997)133
Wang, D.-Z., see Lin, C.-E. 776(1997)362
Welt, S., see Catimel, B. 776(1997)15
Wunschel, D.S., Fox, K.F., Fox, A., Nagpal, M.L., Kim, K., Stewart, G.C. and Shahgholi, M.
Quantitative analysis of neutral and acidic sugars in whole bacterial cell hydrolysates using high-performance anion-exchange liquid chromatography–electrospray ionization tandem mass spectrometry 776(1997)205
Yang, Q., see Viel, G.T. 776(1997)101
Yotsuyanagi, T., see Krokhin, O.V. 776(1997)329
Zahariou-Rakanta, H., Kalantzopoulos, A. and Roubani-Kalantzopoulou, F.
Chromatographic study of the influence of nitrogen dioxide on the reactions between volatile hydrocarbons and inorganic pigments 776(1997)275
Zeng, C.-M., see Lu, L. 776(1997)81
Zhigis, L.S., see Ivanov, A.E. 776(1997)75
Zubov, V.P., see Ivanov, A.E. 776(1997)75